

University Fabric Chart




Heritage

Grade 4




Navy




Ash




Grey




Black




Oatmeal



Caribbean



Mango



Red

Fiber	100% Polyester
Abrasion	130,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin #117-2013 UFAC Class 1 NFPA 260 Class

Zenith

Grade 4



Blue




Dove



Grey




Ebony



Ecru



Nude



Garnet



Agate



Desert Palm



Walnut


Fiber	65% polyurethane, 25% polyester, 10% viscose
Abrasion	130,000 Double Rubs
Cleaning code	W
Flammability	California Technical Bulletin #117-2013 UFAC Class 1 NFPA 260 Class 1

Grade 4




Linen Cashmere

Fiber	100% Vinyl
Backing	100% Brushed Polyester Knit
Abrasion	110,000 Double Rubs
Cleaning code	WS
Flammability	California Technical Bulletin 117-2013 & NFPA 260 Class 1




Desert Oak

Fiber	100% Polyurethane
Finish	Nanotex
Abrasion	200,000 Double Rubs
Cleaning code	WS
Flammability	California Technical Bulletin 117-2013 & NFPA 260



Tweedy


Fiber	100% Polyester
Abrasion	100,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013



ASG Role Texture

Fiber	100% polyester
Abrasion	50,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013

Grade 4




D-4185 Feather

Fiber	100% Olefin
Abrasion	60,000 Double Rubs
Cleaning code	WS
Flammability	California Technical Bulletin 117-2013



Bayou

Fiber	100% Polyester
Abrasion	80,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013



Port of Spain


Fiber	87% Polyester, 13% Acrylic
Abrasion	60,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013



Flora Rose

Fiber	81% Polyester, 19% Acrylic
Abrasion	65,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013

Grade 4




Sky Chevron

Fiber	100% Polyester
Abrasion	50,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013



Vinyl Copper

Fiber	80% Polyester, 20% Cotton
Abrasion	30,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013




Vinyl Star Brushed Bronze

Fiber	80% Polyester, 20% Cotton
Abrasion	30,000 Double Rubs
Cleaning code	S
Flammability	California Technical Bulletin 117-2013

Sherpa

Grade 6



Academy Blue




Amber




Snappy




Grey Heather



Newport




Teal



Jade




Navy




Black

Shire


Grade 6



Paradise




Farm house




Serengeti




Black Cherry




Concrete




Patina



Aqua Tint



Blue Jay



Espresso

Fiber	100% Marquésa Lana
Finish & backing	Acrylic
Abrasion	250,000 double rubs
Cleaning code	WS
Repeat	None (Pattern is woven up the roll and suitable for railloading)
Flammability	California Technical Bulletin 117-2013 / CS-191-53, Class 1 / BIFMA X5.7-1991 / UFAC, Class 1

Calvin

Grade 6




Dolphin




Chocolate




Black



Laguna




Tigereye



Wheat Grass



Sunny



Atomic

Fiber	100% Polyester
Abrasion	50,000- Double rubs
Cleaning code	W
Flammability	California Technical Bulletin 117-2013


Green by Momentum Textiles

Origin


Grade 8




Eureka



Tide



Clay




Lilac



Indigo



Fir




Basalt

Fiber	100% Post Consumer Recycled Polyester
Backing	Acrylic
Abrasion	282,000 Double Rubs
Cleaning code	WS
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1
Reduced environmental impact	GREENGUARD Certified / NSF 336 Compliant


Green by Momentum Textiles

Ego

Grade 8




Jade




Midnight




Onyx




Spa



Foil



Galena




Ginger

Fiber	85% Polyester, 15% Viscose Rayon
Backing	Acrylic
Abrasion	250,000 Double Rubs
Cleaning code	WS
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1 / ASTM E84
Reduced environmental impact	GREENGUARD Certified / NSF 336 Compliant

Fuse

Grade 8



Pristine




Saffron




Ginger




Iris



Cress



Pepper




Azurean

Fiber	65% Post Industrial Recycled Polyester; 35% Post Consumer Recycled Polyester
Backing	Latex
Abrasion	100,000 Double Rubs
Cleaning code	WS
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1
Reduced environmental impact	GREENGUARD Certified / NSF 336 Compliant / Recycled fiber content

Green by Momentum Textiles

Carson CV

Grade 8




Airy




Azure




Buck



Sage



Graphite



Indigo



Shadow

Fiber	100% Clean Vinyl / Phthalate Free
Backing	Polyester
Abrasion	500,000 Double Rubs
Cleaning code	W
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1
Reduced environmental impact	GREENGUARD Certified / NSF 336 Compliant / Singled source fiber content

Green by Momentum Textiles

Graph


Grade 10




Alpine




Ruby




Tidal



Wave



Parrot




Poppy



Alloy



Coal




Anchor


Fiber	75% Repreve® Post Consumer Recycled Polyester; 25% Polyester
Backing	Acrylic
Abrasion	170,000 Double rubs
Cleaning code	W
Repeat	3-3/8" V, 7-1/2" H
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1
Reduced environmental impact	GREENGUARD Certified / NSF 336 Compliant / Recycled Fiber Content

Widget


Grade 10



Cyprus



Anton



Saffron




Bantam



Fog



Currant



Bristol



Baja



Onyx

Fiber	83% Post Consumer Recycled Polyester; 17% Post Industrial Recycled Polyester
Abrasion	100,000 Double rubs
Cleaning code	WS
Repeat	1/2" V, 1/4" H
Flammability	California Technical Bulletin 117-2013, UFAC Class 1, NFPA 260 Class 1
Reduced environmental impact	Recycled Fiber Content, Rapidly Renewable Fiber Content, GREENGUARD Certified, NSF 336 Compliant

Tradition

Grade 12




Wash




Sprout



Soy




Weld




Tango



Spiced



Isle



Hedge




Hidden


Fiber	72% Post Consumer Recycled Polyester; 28% Polyester
Finish & Backing	C-Zero® / Acrylic
Abrasion	200,000 Double rubs
Cleaning code	WS
Repeat	1/8" V, 1/8" H
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1 / ASTM E84
Reduced environmental impact	Recycled Fiber Content / GREENGUARD Certified / NSF 336 Compliant

Infinity


Grade 12




Aster




Pewter




Maize




Atoll



Beyond



Papaya



Macintosh



Vine




Java

Fiber	74% Post Consumer Recycled Polyester; 26% Polyester
Finish & backing	C-Zero® / Acrylic
Abrasion	200,000 Double rubs
Cleaning code	WS
Repeat	1/8" V, 5/8" H
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1 / ASTM E84
Reduced environmental impact	Recycled Fiber Content / GREENGUARD Certified / NSF 336 Compliant

Syntax


Grade 12



Shale



Camel




Turquoise



Hudson



Nectar



Pewter



Cocoa



Violet




Asphalt

Fiber	50% Post Consumer Recycled Polyester; 50% Polyester
Backing	Acrylic
Abrasion	115,000 Double rubs
Cleaning code	WS
Repeat	6-1/4" V, 7-1/8" H
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1
Reduced environmental impact	Recycled Fiber Content / GREENGUARD Certified / NSF 336 Compliant

Green by Momentum Textiles

Cover Cloth


Grade 14




Cyan



Flame




Navel



Sorrel



Bouquet



Graphite



Indigo



Antique



Platinum

Fiber	56% Repreve® Post Consumer Recycled Polyester, 44% Polyester
Finish	Crypton
Abrasion	200,000 Double rubs
Cleaning code	W
Flammability	California Technical Bulletin 117-2013 / UFAC Class 1 / NFPA 260 Class 1
Reduced environmental impact	NSF 336 Compliant / GREENGUARD Certified



Manufacturing Facilities

Las Vegas

7000 Placid Street
Las Vegas, Nevada 89119
United States

Montreal

721 Boulevard Roland-Godard
Saint-Jerome, Quebec J7Y 4C1
Canada



Contact us today
and start creating your
very own project.

1 (800) 545-5575
housing@foliot.com
foliot.com

